



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/001,477 | 11/01/2001 | Steve Roe | CYPR-CD01203M | 6440 |

7590 08/24/2006
WAGNER, MURABITO & HAO LLP
Two North Market Street, Third Floor
San Jose, CA 95113

EXAMINER

PROCTOR, JASON SCOTT

ART UNIT PAPER NUMBER

2123

DATE MAILED: 08/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | | |
|------------------------------|-------------------------------|----------------------------|--|
| Office Action Summary | Application No. 10/001,477 | Applicant(s) ROE ET AL. | |
| | Examiner Jason Proctor | Art Unit 2123 | |

-- Th MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 June 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14 and 17-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14 and 17-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02 November 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claims 1-14 and 17-20 were rejected in the Office Action of 2 March 2006. Applicants' response dated 5 June 2006 has amended claims 1, 7, and 14.

Claims 1-14 and 17-20 are pending in this application. Claims 1-14 and 17-20 are rejected.

Priority

1. This Application contains a claim for the benefit of priority to U.S. Provisional Application No. 60/243,708 filed 26 October 2000. The provisional application has been reviewed and priority is denied, because the provisional application does not appear to enable the claimed invention as required under 35 U.S.C. Section 112, first paragraph. See 35 U.S.C. § 119(e)(1).

For example, the provisional application contains a set of 'powerpoint-style' drawings and datasheets describing desired features for a microcontroller or a 'system-on-chip,' but this material does not appear to contain either the text description or the drawings found in the Application. In particular, no part of the provisional application appears to disclose the method steps shown in the Application at Fig. 7.

Claim Objections

Art Unit: 2123

2. Claim 17 is objected to because of the following informalities: Claim 17 depends from claim 15, which has been cancelled. Claim 17 is interpreted as depending from claim 14. Appropriate correction is required.

Double Patenting

3. Claims 1, 7, and 14 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 13 of copending Application No. 09/975,338. Although the conflicting claims are not identical, they are not patentably distinct from each other because where the limitations of claim 13 of the copending application only differ semantically from the independent claims 1, 7, and 14 of the instant application. Where claims from copending applications cover the same subject matter but are claimed slightly differently, it would have been obvious to a person of ordinary skill in the art to claim the invention in slightly different terms as exhibited the conflicting claims.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Applicants' response on 12 December 2005 states that Applicants will correspond to the provisional double patenting rejection upon an indication of allowance of subject matter of either the present application or the co-pending application (09/975,338).

Claim Rejections - 35 USC § 103

4. In response to the previous rejections of claims 1-14 and 17-20 under 35 U.S.C. § 103 as being obvious over US Patent No. 5,748,875 to Tzori (Tzori) in view of "Debugging with The

Art Unit: 2123

GNU Source-Level Debugger” by Richard M. Stallman and Roland H. Pesch (Stallman),

Applicants argue primarily that:

The Applicants do not understand the cited portion of Tzori to either teach or suggest a virtual microcontroller and a microcontroller operating in lock-step synchronization by virtue of their identical operation, as claimed.

The Examiner has fully considered this argument and finds it persuasive. The previous rejections under 35 U.S.C. § 103 are withdrawn.

The following is a quotation of 35 U.S.C. § 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. § 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. § 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later

Art Unit: 2123

invention was made in order for the examiner to consider the applicability of 35 U.S.C. § 103(c) and potential 35 U.S.C. § 102(e), (f) or (g) prior art under 35 U.S.C. § 103(a).

5. Claims 1-14 and 17-20 are rejected under 35 U.S.C. § 103(a) as being unpatentable over US Patent No. 5,903,718 to Marik in view of US Patent No. 6,366,878 to Grunert.

Regarding claim 1, Marik teaches:

An in-circuit emulation system [*“The Debug Tool of a preferred embodiment of the present invention is a 8031 debug tool with emulator types of functions which needs only a minicomputer, such as a PC, running a user-interactive PC Host Debugger Application program and a serial cable attaching the standard communication port of a PC to the 8031 based target system.”* (column 3, line 66 – column 4, line 4)] breakpoint control [*“Debug Parameter Table”* (column 6, lines 48 *et seq.*)] comprising:

A microcontroller [*“According to the present invention, a remote program monitor method and system using a system-under-test microcontroller for self-debug comprises a system-under-test (SUT_ that includes a read-only memory (ROM) and a microcontroller for executing a program under test.”* (column 2, lines 22-27)];

A breakpoint lookup table with a break bit associated with each of a plurality of instruction addresses, the break bit being set to indicate that a break is to occur at a specified instruction address [*“The Debug Parameter Table contains a record for each specified debugpoint in the target system. Each record consists of: 1) A program memory address which is compared to the target system program counter at the time the debugpoint occurs. If a match*

Art Unit: 2123

occurs, the debugpoint takes action based upon the contents of the remainder of this record.”
(column 6, lines 48-61)];

A breakpoint controller that sends a break message to the microcontroller whenever an instruction address is encountered that is associated with a set break bit [*“When the SUT receives one or more debugger signals as an interrupt input, the signal causes the microcontroller to execute a debugger program contained in the ROM.”* (column 2, lines 22-38); *“When a debugpoint is reached, the INT0 interrupt handler checks the Debug Parameter Table to verify that the breakpoint is enabled. A break is enabled if the Break Boolean flag is set true and the program counter value in the Debug Parameter Table matches the program counter at the top of the stack upon entry into the INT0 interrupt handler.”* (column 14, lines 19-35)].

Marik does not disclose a virtual microcontroller operating in lock-step synchronization with the microcontroller by virtue of their identical operation.

Grunert teaches a virtual microcontroller operating in lock-step synchronization with a microcontroller by virtue of their identical operation [*“The arrangement, according to the invention, for in-circuit emulation comprises two identical microcontrollers, which are operated as master and slave, as well as the external program memory. The slave receives the same program instructions parallel to the master.”* (column 1, lines 47-65); *“In accordance with another feature of the invention, a clock synchronizes the two microcontrollers (2, 3).”* (column 2, lines 58-59)].

Grunert and Marik are analogous art because both are directed to in-circuit emulation technology.

It would have been obvious to a person of ordinary skill in the art at the time of Applicants' invention to combine the virtual microcontroller operating in lock-step synchronization with Marik's debugging system of by coupling a virtual or "slave" microcontroller to system-under-test microcontroller.

Marik teaches that the debug system is external to the microcontroller (Marik, entire document; for example FIG. 1), therefore in forming the combination, it would have been obvious to keep the debug system external to the microcontroller. Grunert teaches that the service computer interfaces with the (master) microcontroller via the (slave) virtual microcontroller (Grunert, column 5, lines 10-25). Therefore in forming the combination, it would have been obvious to associate the "breakpoint lookup table" with the (slave) virtual microcontroller according to the combined teachings of Marik and Grunert.

The motivation for doing so would be to achieve better visibility into the internal operations of the microcontroller, as expressly taught by Grunert [*"In accordance with an advantageous feature of the present invention, the operating program for in-circuit emulation is not stored in the internal ROM memory, but in an external, and therefore easily accessible memory."* (Grunert, column 1, lines 36-47); *"Internal states of the master 2 are transmitted to the slave 3 via the ports P3, P4', and then to the service computer via the ports P5', P6', The contents of the memory 4 can be changed by the service computer, in order to optimize the microcontroller in the application system during the development phase. The internal state of the master 2 can be traced by setting breakpoints. The service computer executes the application*

program in this case in parallel with the execution in the master 2.” (Grunert, column 5, lines 10-25)].

Therefore it would have been obvious to a person of ordinary skill in the art at the time of Applicants’ invention to combine the Marik and Grunert references to obtain the invention specified in claim 1.

Regarding claim 2, Grunert teaches that messages are sent to the microcontroller over an interface linking the (master) microcontroller to the (slave) virtual microcontroller [*“A signal connection between the microcontrollers 2, 3 is produced by port P3 in the master and port P4’ in the slave. The respective settings of the connecting devices 9, 9’ ensure that the ports P0’, P2’, P3’ of the slave 3 are switched through to the master 2 so that all the input and output data of the function unit 7 are available in the master 2 as in normal operation.”* (column 4, lines 63-67); *“The corresponding ports P5’, P6’ are therefore free in the slave 3, with the result that they can be used for inputting and outputting further internal signals and states, for example internal buses, control signals, register contents, etc. or for controlling the program execution.”* (column 5, lines 10-25)].

Regarding claim 3, Marik teaches a counter that increments through the breakpoint lookup table as a sequence of instructions is executed [*“The Debugger Routine compares the program counter at the top of the stack upon entry into the INT0 Reentrant Routine with the program counter field of each record in the DPT until a match is found. If a match is found, the*

Art Unit: 2123

“active” DPT record is replaced by the new matched record. The debug Boolean flags in the DPT record dictate what action is to be taken.” (column 14, lines 59-65)]

Regarding claim 4, Marik teaches a host computer that programs the breakpoint lookup table to set a breakpoint bit at an instruction address where a break is to occur [*“To selectively disable or enable debugpoints, the PC host 10 can update the Debug Parameter Table of Boolean flags.” (column 15, line 50 – column 16, line 3); “Initially, the target system 8031 source code is assembled on the PC.” (column 8, lines 4-22); “Included in the assembly of the target system source code is the Debug Parameter Table and “enable INT0 interrupt” instructions placed at strategic locations where debugpoints are desired.” (column 8, lines 34-52)].*

Regarding claim 5, Grunert teaches that the microcontroller and the virtual microcontroller operate in a two phase cycle comprising a control phase and a data transfer phase [control phase: *“The corresponding ports P5', P6', are therefore free in the slave 3, with the result that they can be used for inputting and outputting further internal signals and states, for example internal buses, control signals, register contents, etc. or for controlling the program execution.” (column 5, lines 10-25); data transfer phase: “Internal states of the master 2 are transmitted to the slave 3 via the ports P3, P4', and then to the service computer via the ports P5', P6', The contents of the memory 4 can be changed by the service computer, in order to optimize the microcontroller in the application system during the development phase.” (column 5, lines 10-25)].*

Regarding claim 6, Grunert teaches that the break message is sent during the control phase [*“The corresponding ports P5', P6', are therefore free in the salve 3, with the result that they can be used for inputting and outputting further internal signals and states, for example internal buses, control signals, register contents, etc. or for controlling the program execution.”* (column 5, lines 10-25); *“The internal state of the master 2 can be traced by setting breakpoints.”* (column 5, lines 10-25)].

Claims 7-10 and 12-13 recite combinations of limitations found in claims 1-6. As claims 1-6 are obvious over Marik in view of Grunert, claims 7-10 and 12-13 are similarly obvious over Marik in view of Grunert.

Regarding claim 11, Marik teaches halting execution of instructions in the microcontroller prior to the instruction associated with the set break bit [*“When a debugpoint is reached, the INT0 interrupt handler checks the Debug Parameter Table to verify that the breakpoint is enabled... The INT0 routine will then invoke the Communication API to transfer the contents of the trace table to the PC host 10 for display, then query the Communication API for a message from the PC host 10 to continue processing the target system code 40.”* (column 16, lines 19-35)].

Claims 14 and 17-20 recite combinations of limitations found in claims 7-13. As claims 7-13 are obvious over Marik in view of Grunert, claims 14 and 17-20 are similarly obvious over Marik in view of Grunert.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Proctor whose telephone number is (571) 272-3713. The examiner can normally be reached on 8:30 am-4:30 pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Rodriguez can be reached at (571) 272-3753. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.


Any inquiry of a general nature or relating to the status of this application should be directed to the TC 2100 Group receptionist: 571-272-2100. Information regarding the status of

Art Unit: 2123

an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jason Proctor
Examiner
Art Unit 2123

jsp


PAUL RODRIGUEZ
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100
8/18/06